

..., 2002 /, 200 .
 (), ~1-10

19 0
 /, 19 2 , 19 ,

200 ()
),
 19 , 19 3 , 1991 ,
 199 , 1990 /, 199 ,
 2004 , 200 /, 200 ,
 00
 , 2004 /, 200 /, 200
 , 2009 .

19 /, 19
 ,
 /, 19 2 ,

, 19 , 19 ,
 /, 19 .
 /, 19 , 19 9 , 1999

Ω
 /, 19 , 19 9

$$^2\Omega/ t^2 = A(\Omega/ t)^\alpha \quad (1)$$

1 2. α
 / 19 ,
 ()
 Ω
 (1)
 Ω

Table 1.

		σ	ρ	φ	ρ	φ	ρ	φ	ρ	φ	ρ	φ	
		()	()	()	()	()	()	()	()	()	()	()	
19	0	1	230	2	24	2.41	3.0	4.4	41.0	10.9	0.2		
1990,	0	1	1	3	42	23	11.4	.0	1.0	10.0	0.22		
19													
1990,	200	1	4.0	92	100	23	11.4	.0	1.0	10.0	0.22		
19													
19	0	1	21	19	19	2.13	0.2		9.	.4	11.	0.3	
19 2	0	0.1-299,	()	/ 21 (3)	34 (193-2203,	(0.2)-10123.4	09.)-1	29424 .2	19(4 / 199.2(9.23 .9	02- .9	0202 .34232	4.11	92 . (43.9 3

$$\alpha = \frac{1}{2} \left(\frac{1}{\sqrt{2}} \begin{pmatrix} 1 & 1 \\ 1 & -1 \end{pmatrix} \right) \quad (1)$$

..., 19, ..., $\Sigma\nu$,
 $\Sigma\nu$

$$\Sigma\nu/(\Sigma\nu)_m = [(\epsilon - \epsilon_m)/\epsilon^*] = [(S_d - S)/S^*] \quad (4)$$

$\Sigma\nu$ ($\Sigma\nu$), *
 (3), \approx / , * \approx
 */

19 0 .

→
(
)/
)
1

1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020.

)/ * . (10)

$$^2 \Sigma \nu / t^2 = (K_w / S^*) \Sigma \nu / t \quad (11)$$

$\Omega \equiv \Sigma \nu$, $\equiv / *$, $\alpha 1$,

30 (9)

/ , 19 ,

($\Sigma \nu$, /). , +

$$\varepsilon / t = \varepsilon / t + B \Sigma \nu / t \quad (12)$$

90% (3

1. () () ()

2. () () ()



(199),
439-44 , 10.100 /
00 3100 01 2.
(199),
99-14 ,
(19),
33- 1, 10.101 /
0031-9201()90113-
(1990),
5, 249-2 , 10.101 /0040-19 1(90)90141-
(19 2),
12 -1 3.
(200),
(19 2),
.9 02

.9 0200 .9 02 . 2

